

IN THE CLAIMS

Kindly replace the claims of record with the following full set of claims:

1. (Currently amended) A system comprising at least a communication network, a user entity and a server entity, the system comprising:

said user entity having,

a processor to enable a user to define at least one itinerary search criterion and at least one service, send an itinerary search request to said server entity via said communication network, said request comprising at least said search criterion and said service, receive a response via said communication network, and present said response;

said server entity having,

a processor to receive said itinerary search request, compute at least one itinerary from said search criterion by using a transport database, said itinerary considering two or more forms of transportation to determine an optimal itinerary, at least one provider providing said service and fulfilling at least one proximity condition with respect to the computed itinerary by using a database of service providers, said proximity condition being adapted as a function of at least one of the following parameters: a transport mode and the type of traversed zones, and send, to said user entity via said communication network, a response comprising the computed itinerary with localization of the selected provider.

2. (Previously Presented) A server entity comprising:

a processor to enable receiving an itinerary search request, said request comprising at least one search criterion and at least one service, computing at least one itinerary from said search criterion by using a transport database, said itinerary considering two or more forms of transportation, selecting at least one provider providing said service and fulfilling at least one proximity condition with respect to the computed itinerary by using a database of service providers, said proximity condition being adapted as a function of at least one of the following parameters: a transport mode

and the type of traversed zones, and sending a response comprising the computed itinerary with localization of the selected provider.

3. (Currently amended) A search method for a user using a user entity, the method comprising the steps of:

by the user using the user entity,
defining at least one itinerary search criterion and at least one service;
computing at least one itinerary responding to said search criterion by
using a transport database, said itinerary considering two or more forms of transportation
to determine an optimal itinerary;

selecting at least one provider providing said service which fulfills at least
one proximity condition with respect to the computed itinerary by using a database of
service providers, said proximity condition being adapted as a function of at least one of
the following parameters[ε], a transport mode and the type of traversed zones; and

presenting the computed itinerary with localization of the selected
provider.

4. (Cancelled)

5. (Cancelled)

6. (Previously Presented) A search method as claimed in claim 3, wherein the
service can be user defined independently of the definition of the at least one itinerary
search criterion, and in that the services defined are stored in a current list intended to be
used during the itinerary computation.

7. (Previously Presented) A computer readable storage medium comprising
instructions, stored in a programming memory, which, when loaded into a processor,
causes said processor to perform an itinerary search method comprising:

defining at least one itinerary search criterion and at least one service;

computing at least one itinerary responding to said search criterion by using a transport database, said itinerary considering two or more forms of transportation to determine an optimal itinerary;

selecting at least one provider providing said service which fulfills at least one proximity condition with respect to the computed itinerary by using a database of service providers, said proximity condition being adapted as a function of at least one of the following parameters: a transport mode and the type of traversed zones; and

presenting the computed itinerary with localization of the selected provider.

8. (Previously Presented) An itinerary search request comprising at least one itinerary search criterion dependent upon a transportation mode and at least one service, said request being addressed to a server entity comprising:

a processor to enable, receiving an itinerary search request, said request comprising at least one search criterion and at least one service, computing at least one itinerary from said search criterion by using a transport database, said itinerary considering two or more forms of transportation to determine an optimal itinerary, selecting at least one provider providing said service and fulfilling at least one proximity condition with respect to the computed itinerary by using a database of service providers, said proximity condition being adapted as a function of at least one of the following parameters: a transport mode and the type of traversed zones, and sending a response comprising the computed itinerary with localization of the selected provider.

9. (Cancelled)